



# FAST FEED MILLING INSERTS




## GRADE INTRODUCTION

<b>UMP10A</b>	P	With wear-resistance PVD coating, suitable for metal roughing, such as die steel, P20, HRC45 steel, etc.
<b>UMP10J</b>	P	A new type of high silicon PVD coating, with hardened cemented carbide matrix, can process materials below HRC60
<b>UMM25A</b>	P M S	For stainless steel, superalloy, titanium alloy and materials below HRC50.
<b>UMM25J</b>	P M S	Suitable for processing stainless steel, high temperature alloys, titanium alloys, materials below HRC50.
<b>UMM35J</b>	P M S	For stainless steel, superalloy, titanium alloy and hard materials.
<b>UMK30Z</b>	K	More wear-resistance CVD coating for nodular cast iron and grey cast iron.
<b>UMG40A</b>	P M K	An universal grade for steel, stainless steel, cast iron processing.
<b>UMG40J</b>	P M K	An universal grade for steel, stainless steel, cast iron processing, better performance than UMG40A.
<b>UMG40P</b>	P K	Very suitable for steel processing, and also can process cast iron.


# INFORMATION PARAMETER




刀片外形 Blade Shape	型号Model	尺寸Size(mm)					牌号Grade								
		LE	IC	S	ϕd	r	UMM10A	UMM10J	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P
	SDMT120512-RD	-	12.7	5.66	4.4	1.2	●	●	●			●	●		
	SDMT150512-RD	-	15.875	5.66	5.5	1.2	●	●	●			●	●		




刀片外形 Blade Shape	型号Model	尺寸Size(mm)					牌号Grade								
		LE	W	S	ϕd	r	UMM10A	UMM10J	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P
	LNMG0303R-LG	11.88	6.0	3.67	2.8	1.2	●		●			●	●		





刀片外形 Blade Shape	型号Model	尺寸Size(mm)					牌号Grade								
		LE	IC	S	ϕd	r	UMM10A	UMM10J	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P
	WNMU080608EN-GM	16.67	14.02	6.63	6.2	0.8	●		●	●		●	●		





刀片外形 Blade Shape	型号Model	尺寸Size(mm)					牌号Grade								
		LE	W	S	ϕd	r	UMM10A	UMM10J	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P
	LNMU110408SRGE	11.3	6.6	3.15	3.4	0.8						●			





刀片外形 Blade Shape	型号 Model	尺寸 Size(mm)					牌号 Grade							
		LE	IC	S	φd	r	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P	
	HNMG090608R	-	16.5	5.57	5.0	1.0			●				●	




刀片外形 Blade Shape	型号 Model	尺寸 Size(mm)					牌号 Grade							
		LE	W	S	φd	r	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P	
	SNMX1306ANEN-M	13.5	13.5	6.8	5.56	-			●					




刀片外形 Blade Shape	型号 Model	尺寸 Size(mm)					牌号 Grade							
		LE	IC	S	φd	r	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P	
	SNMU1206XTN	12.7	12.7	6.35	5.54	-			●					




刀片外形 Blade Shape	型号 Model	尺寸 Size(mm)					牌号 Grade							
		LE	W	S	φd	r	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P	
	ENMU100412-F	10	6.0	4.0	3.0	1.2	●	●	●		●			







刀片外形 Blade Shape	型号Model	尺寸Size(mm)					牌号Grade								
		LE	IC	S	φd	r	UMP10A	UMP10J	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P
	SOMT140520ER-GM	14.14	14.14	5.66	5.85	2.0				●				●	




刀片外形 Blade Shape	型号Model	尺寸Size(mm)					牌号Grade								
		LE	IC	S	φd	r	UMP10A	UMP10J	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P
	WNMU080608EN-XNEX	14.68	12.5	7.84	4.6	0.8				●			●		



刀片外形 Blade Shape	型号Model	尺寸Size(mm)					牌号Grade								
		LE	W	S	φd	r	UMP10A	UMP10J	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P
	LOGU030310EN-GM	11.9	6.2	3.96	3.45	1.0							●		



刀片外形 Blade Shape	型号Model	尺寸Size(mm)					牌号Grade								
		LE	IC	S	φd	r	UMP10A	UMP10J	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P
	PNMU0905XER	-	13.46	6.12	4.68	0.8				●					●



刀片外形 Blade Shape	型号Model	尺寸Size(mm)					牌号Grade								
		LE	LC	S	φd	r	UMP10A	UMP10J	UMM25A	UMM25J	UMM35J	UMK30Z	UMG40A	UMG40J	UMG40P
	BLMP0603R	9	6.39	3.74	3.15	1.0				●					●
	BLMP0904R	11.94	9.05	4.61	4.15	1.0				●					●



**UKO**  **优 固**

**SOLUTIONS FOR METAL MILLING**

**ZHUZHOU UKO PRECISION CARBIDE CO., LTD.**

Address: No.500 ,Jin Shan Road, Hetang district,Zhuzhou, Hunan, China

TEL: 0086-731-28821507

FAX: 0086-731-28821527

Email: [uko@ukomillingtools.com](mailto:uko@ukomillingtools.com)

Mobile: 0086-17773314385